DEDICATED TO THE SERIOUS PROGRAMMER

PROG/80

AUGUST 1980 $3.00





NOW INCLUDES MEMORY DIAGNOSTIC AT THE SAME PRICE!

Floppy Disk Diagnostic

by Dave Stambaugh

- **35 or 40 track in same program**
- **Tests controller functions and status bits**
- **Tests drive speed and allows adjustment**
- **Tests switches and mechanical components**
- **Verifies data transfer**
- **Tests drive seek function**
- **Sector and byte write and resd tests using all possible patterns**
- **16 to 48K, 1 to 4 disk drives**
- **Tests cross cylinder interference**
- **Tests drive-to-drive compatibility**

The best and most complete diagnostic you can buy to verify disk drive reliability and find problems. Displays 19 error messages and cross references them to 14 possible causes. Continuous test option for exhaustive testing keeps statistical record of all errors found.

Supplied on diskette with manual for only $24.95.

TSE **The Software Exchange**

6 South Street, Box 68, Milford, NH 03055 603-673-5144

PROG/80

Outstanding Utilities from RACET Computes

INFINITE BASIC

Adds more than 70 commands to BASIC that can be merged in any combination to make efficient use of memory. Includes matrix read, inverse, transpose, identity, simultaneous equations, scalar, vector, and multidimensional array arithmetic, dynamically reshape, expand, and delete arrays, change arrays in mid program, read and write arrays on tape, copy elements, zero and move arrays. String functions include left and right justify, truncate, rotate, text justification, string centering, delete and insert substring, pack string, convert upper and lower case, translate characters, reverse strings, verify function, test number of occurences, masked string searches, encrypt and decrypt string, compress and uncompress string characters. High speed sort routines for strings and arrays, including multikey sorts, are also part of this package.

For business users, an add on package includes multiple precision packed decimal arithmetic, with up to 127 digits of accuracy, binary search of sorted arrays, insert elements in sorted arrays, automatic page headings, footings, and pagination including forced end of page, and automatic hash for record retrieval. **Infinite BASIC $49.95. Infinite business (add on) $29.95**

COMPROC COMMAND PROCESSOR

Chain multiple steps in disk BASIC upon power up, relocatable key debounce, allows pauses for data entry at specified steps during execution (on cassette for disk systems only) for **$19.95.**

DOSORT

BASIC control program with high speed machine language sort for disk users. Merge and sort files on more than one disk if you have 2 or more drives. Self prompting with manual. Specify 32K or 48K version **$34.95.**

GSF GENERALIZED SUBROUTINE FACILITY

18 machine language subroutines with easy access for BASIC users. Sort 1000 element arrays in 9 seconds, read and write arrays to tape, compress and uncompress data, move arrays in memory, duplicate memory, fast horizontal and vertical lines, 5 routines for screen control. Specify 16K, 32K, or 48K version, for **$24.95.**

REMODEL PROLOAD

BASIC program utility allows you to renumber portions of a program, move portions from one location to another, delete, merge, save and verify combined and changed programs, and create your own library of programs, subroutines, and even data statements. Works on tape or disk systems. Two programs on one tape. Specify 16K, 32K, or 48K (unspecified orders receive 16K) tape **$34.95**

PROG/80

VOL. 1 NO. 9

Publisher
Roger W. Robitaille, Sr.

Business Manager
Elizabeth J. Robitaille

Editor-in-Chief
George W. Blank

Editor
Lance Micklus

Software Editor
James Garon

Time Sharing Editor
Richard Taylor

Copy Editor
Sheila Jahnle

Creative Director
Elaine Cheever

Production
Laurie Miller
Gail Nash
Donna Bennett

Subscriptions Manager
Diana Bishop

Customer Service
Bette Keenan

Cartoonist
Sandy Dean

PROG/80 is published bimonthly by SoftSide Publications, Milford, New Hampshire. Telephone (603) 673-5144. Subscription rates: USA regular bulk rate - $15 per year. USA first class, Canada, Mexico, APO/FPO, overseas surface mail - $21 per year. Overseas airmail - $27 per year. **Make all remittances payable in US funds.** Mail Subscription inquiries to PROG/80 Subscriptions Manager, PO Box 68, Milford, NH 03055.

PLEASE NOTE:

Our WATS line number is:

1-800-258-1790

(In NH call 673-5144)

TOLL FREE
9 AM to 9 PM*
(Monday - Friday)
12 to 4 PM
(Saturdays)

It is ONLY to be used for ordering software.

Programmers will not be available on this line.

Your Cooperation Will Be Most Appreciated

*Eastern Standard Time

Outgoing Mail

by Lance Micklus

A number of years ago, I remember hearing about a new product called liquid toilet paper. This was a new type of toilet paper which came on a roll, just like conventional toilet paper, but was soaked in a chemical liquid. The company that was going to market liquid toilet paper felt that the product would be successful because it was superior to the toilet paper we still use even to this day. Its advantages were that it cleaned better, disinfected for better sanitation, contained moisturizers to promote healthy skin, and perfume to control odors.

Around 1965, a man I knew in Hyde Park, New York worked for a new company that made cardboard boxes. From time to time, people with new products to market would come to him to find the best way to package their product. One such product was a can of air. You just pressed the top, and out came a blast of air. When I asked what somebody would do with a can of air, he suggested that I might try it next time I needed to blow the whiskers out of my electric shaver.

In order for a product to exist in the market place, it must meet certain criteria. First, there must be a need for the product. Second, the product must satisfy the need. And third, the product must satisfy the need better than any other alternative.

I don't think I need to justify the importance of toilet paper to our society. Liquid toilet paper satisfied the need for a product to do the things people normally do with toilet paper. So, the first two criteria were met. But it failed on the third test - and for a very interesting reason - there was no way to espouse the virtues of liquid toilet paper on television. Thus, there was no way to convince the consumer that it would satisfy his needs better than other alternatives.

The can of air was a product which posed no advertising problems. It failed as a product because it could not find a real need for its existence.

Maybe you think I'm joking about these two products. I'm not kidding you because I have purchased both products.

If you've ever had to change a baby's diaper, you know what a mess you can sometimes find. Several years ago, moistened towelettes came on the market. Basically, these were really disposable wash cloths. But they really were liquid toilet paper

repackaged. The product is so successful that several companies now manufacture it.

The fact that this product sells well is only logical. First, there is a need to clean up the baby's messy bottom. Second, the product satisfies the need. Third, and most important, it does it better than the alternative which is a wash cloth. It's easier to advertise baby products than personal products for adults. This means that the message can be sent to the consumer whereas before it was difficult.

There are also several companies selling cans of air. One brand name which I used is called OMIT. When I was doing a lot of dark room photography work, I used it to blow the dust off of my negatives. It is better than blowing the dust off with your mouth because the blast of air is stronger and there is no danger of accidently spitting on the negative.

Again, the three criteria are met and the product sells well. Photographers need a way to blow a strong but clean blast of air on the negatives and the lenses of their cameras. OMIT does this, and does it better than any other method.

The three criteria also apply to services as well as products. Take pay TV as an example. Several experimental pay TV systems were set up in the late 1960's but they failed. The feeling among experts was that this potentially could become a big market. The feeling of the public was, "Who needs it?". All the movies they wanted to see were on commercial television for free.

In 1972 Time-Life entered the pay TV market with a service called Home Box Office. Today, HBO is the largest pay TV service in the world. Its success, where others failed, isn't hard to understand.

Time-Life's entry into this market made notice. They are a very large company which doesn't enter into a new market unless they really feel there's something out there. When Time-Life moves, people watch.

Time-Life brought to the pay TV industry its big financial muscle. Equally important, it also brought in its massive marketing skills. Together, this put Time-Life into the position of being able to put it all together as a package.

But this does not help satisfy the three criteria; missing is the need for the service upon which the remaining two criteria are then tested. Time-Life did not create the need. Rather, they were in the right place at the right time. The need was created by a change in the way the subjects in motion pictures were treated. This included the showing of nudity, portraying violence very realistically, and scripts which could use any word in the English language. Commercial television was not - and still is not - ready to accept this type of material. The solution was for commerial television to edit these films to meet their standards. The result often is a different movie.

This change brought about the need for a way to show movies on television which were not edited in any way. Capitalizing on this need, HBO built its Home Box Office movie network. Not only did HBO satisfy the need and do it better than the alternatives, it also added icing to the cake with specials such as TIME WAS and THE NEW CANDID CAMERA. The important point to remember here is that these specials do not satisfy the need, but they do help to make the solution more attractive than the other alternatives.

I see many parallels between the pay TV industry and the paid computer access industry like MicroNET

and The SOURCE. It strikes me that here again, we have a service with great potential looking for some great need to satisfy. So far, the users of these services are using paid computer access for a variety of indivudual reasons. A lot of users are just hobbyists, doing it for fun. Others just want to be part of the action. Finally, there are a few special groups that have some very specific needs like access to market prices.

Radio Shack's entry into this market is like Time-Life's entry into the pay TV market, and everybody is taking notice because it is Radio Shack. They have the financial muscle and marketing skills to put the package together and to sell it. The question is, "What are they going to sell?".

It appears that Radio Shack is looking, not at the needs of the hobbyist or special interest user, but at John Q. Public as a whole. They have identified certain needs and feel that the paid computer access service they are offering will meet these needs. So far, I agree. The third criteria is that they must meet these needs better than the alternatives.

I'm trying to imagine myself trying to get my mother to go out and buy Shack's video terminal for $400, and using it at $5.00 per hour plus toll charges. Living in Clifton, New Jersey, 10 miles from New York City, she has access to two 24 hour all news radio stations, one 24 hour all news cable television network, frequent news broadcasts on commercial television, New York City's weather radio station, and more newpapers and magazines than you can count. My mother doesn't care about market prices and stuff like that. She is well known in Northern New Jersey for her work with Friends of Animals. If she has any need at all, besides paying the bills, it would be the humane treatment of animals by people. We must conclude that paid computer access fails to meet her needs, or if it does, it is a poor alternative compared to other solutions. I don't think my mother is unique in this respect. Maybe your mother has other interests, but imagine yourself trying to talk your mother into buying a video terminal and using it.

I think in the long run, we will see the day when John Q. Public will use some form of paid computer access. The way we will get there may be by a different path than many see now. The logical thing to do is to apply the three criteria and see where it takes us.

The first step is to identify the need. Since the largest single group of paid access users are hobbyists, I would look at their needs and address those first.

The SOURCE is doing a very poor job. It is suffering from hardware problems that were supposed to be cured months ago. This makes it difficult or impossible to use what services it does provide to their fullest potential.

MicroNET, in my book, was an even bigger disappointment. I was under the impression that MicroNET was using a DEC20 system. Having used MicroNET, I'm beginning to wonder. They have done a fine job of ruining TOPS20, the standard monitor on the DEC20 (equivalent to TRSDOS on the TRS-80). Look, everybody, the world does not need another unique operating system. We have enough right now. Besides, TOPS20 is perfect for a lot of things hobbyists want to do. It includes an excellent mail feature, TALK, as well as group owned and system owned file structures. You can even create your own new accounts. If MicroNET is using TOPS20, then they have stripped it of many of the

features most of their users need. There are only two things I have found on MicroNET that do address the needs of the hobbiest: MNET-80 (the TRS-80 users group) and CB.

As far as I'm concerned, the current needs of the paid access user are not being satisfied as well as they could be. In addition, Radio Shack's control over MicroNET has now created a new need - a paid computer access system NOT controlled by Radio Shack. Certainly, your neighborhood Apple and PET dealer is not going to want to send his customer down to Radio Shack. Nor will users want to continue to use MicroNET when they find out that Radio Shack can access their files and distribute the contents of those files throughout the company.

I think the needs are best satisfied by a third and new paid access system using a couple of DEC2060's tied together. Things like CB, bulleting boards, and data bases are easy to add. By using TOPS20 and the standard software packages that usually go with it, such as BASIC + 2, you'd have plenty of system for the hobbyist to work with.

The next step is for the hobbiest to develop ideas which others will put to more practical use. Electronic mail, which includes not only sending messages but the sharing of data itself, will create its own self-satisfying needs the same way the telephone created its needs and then satisfied them. It starts out being something you do for fun, then it becomes something you rely on. Before you know it everybody has to have it. That's how the telephone became a necessity and how I think electronic mail will become a necessity.

Even my mother needs to send and receive mail, just like she must make and receive phone calls. If electronic mail becomes a common method of communication, she is now faced with a new need. Paid computer access satisfies that need. So, it's off to the computer store to buy an account, a video terminal, and a modem - the very stuff I couldn't talk her into.

To some, paid computer access seems to be the goose that lays golden eggs. If it is the perverbial goose, they want to be sure they've got their bets down on him. I prefer not to bet on any goose. All geese, including those who MIGHT lay golden eggs, ALWAYS lay goose eggs.

The 80-Users of Houston Club meets the first Wednesday of each month, at the Bellaire Chamber of Commerce Building, 6900 S. Rice in Bellaire, Texas at 7:30 pm. For more information, call Ben Taylor at (713) 664-5823.

PERSONAL COMPUTING PACKAGE

The HARDSIDE PERSONAL COMPUTING PACKAGE is ideal for the student, hobbyist, businessman or homeowner looking to enter the computer age.

* **TRS-80, 16K RAM, Level II**
* **Adventure Game Program Cassette**
* **Learning Level II Book by David Lien**
* **Level I in Level II Program Cassette**

This package includes all the necessary equipment and materials to get you started. You will have the ability to learn and use both Level I and Level II BASIC. You will not have to send your unit away to be upgraded. The regular list price for this package is almost $900.

 # PKG3 (38 lbs) **$699.95**

Options:

Additional Numeric Keypad	*$80.00*
System Dust Cover	*$ 7.95*

603-673-5144

Milford, NH 03055

HARDSIDE™

The HARDSIDE
SMALL BUSINESS PACKAGE
includes everything necessary to
put a small business on-line.

SMALL BUSINESS PACKAGE

$2750.00

 # PKG11 (86 lbs)

- **TRS-80, 16K RAM, Level II**
- **Expansion Interface, 16K**
- **Percom Data Separator**
- **Dual Percom TFD-100 Disk Drives**
- **Four Drive Cable**
- **NEWDOS Disk Operating System**
- **Centronics 730 Printer**
- **Printer Cable**

This package saves you over $400 off of regular list prices. Some suggested options are listed below.

Options:

Additional 16K RAM (Exp. Inter.)	*$ 90.00*
Additional Percom Disk Drive	*$389.00*
Centronics 737 (substitution)	*$176.00*
NEWDOS+ (substitution)	$ 55.00
System Desk	$179.00
System Dust Cover	$ 7.95

HARDSIDE

6 South St., Milford, NH 03055 (603) 673-5144



How's your love life?

A little dull around the edges? Routine? Predictable? Boring? Maybe all it needs is a little Interlude. Interlude is the most stimulating computer game ever conceived. It combines a computer interview, an innovative programming concept, and a one of a kind manual to turn your love life into exciting, adventurous, delicious fun!

With over 100 Interludes, you can satisfy all levels of interest and desire. Each Interlude is fully described in the manual, and the more elaborate ones are detailed with regard to settings, props, and mood enhancing techniques. But we've saved a few super Interludes for that very special time when your interview indicates you're ready! At that time, you will be introduced to one of several Interludes held secret within the computer. (When you learn secret Interlude #99, your love life may never be the same again!) Interlude can give you experiences you'll never forget. Are you ready for it?

For the TRS-80(Level II, 16K)

$14.95 for cassette
$17.95 for diskette

Interlude™
The Ultimate Experience.

The Software Exchange

6 SOUTH ST., MILFORD, N.H. 03055 (603) 673-5144

GHOST TOWN

by Scott Adams

Scott's long-awaited 9th adventure is here! Thirteen treasures are hidden somewhere in the GHOST TOWN. You'll need more resourcefulness than ever to find them before sunset. Be ready for a town full of surprises and some REAL ghosts! Bring along a sense of humor, but be alert for danger as well. If you live so long, you MAY learn the answer to the tantalizing question:

"What goes on in the saloon after dark?"

Cassette $14.95

LEVEL II 16K

The Software Exchange

6 SOUTH ST., MILFORD, N.H. 03055 (603) 673-5144

A SECOND LOOK AT MICRONET and SOURCE IS NOW MNET-80 T00

by Richard Taylor

This month's column is actually a combination of two related articles written to discuss MICRONET. One was a close look at MICRONET's many excellent features, and the other the story behind SOURCE-80's joining MICRONET. Together they give a good look at the system's offerings and capabilities.

I have mentioned in earlier articles that I was more familiar with THE SOURCE, having spent more time on it. Of late, I have been spending a lot of very rewarding time on MICRONET, and am pleased to be able to describe and discuss just a few of the superb features of this system.

MICRONET starts off with a big advantage in the cost department. The initial fee for joining is only $9.00 compared with THE SOURCE's $100.00. The first $5.00 of your $9.00 pays for your first hour on the system, which brings your initial investment down to only $4.00. There is no minimum monthly charge if you do not use the system and, as I said in a previous article, there is really no reason not to belong to MICRONET. (TSE includes a MICRONET membership with any SOURCE membership it sells).

You will not find UPI on MICRONET as you will not find most of the data bases offered by THE SOURCE. What you will find is a highly sophisticated time-sharing system with very fast response time and an average "up" time of 96% for the year. People who argue that MICRONET is more expensive than THE SOURCE ($5 vs. $2.75 per hour) should know that, as of this writing (April 1980), response time on MICRONET is at least twice as fast as THE SOURCE. Before I start detailing features on MICRONET I should digress a bit and fill you in on some background.

SOURCE-80

SOURCE-80 is a TRS-80 users group which I run on THE SOURCE.

We produce a huge volume of articles, original software, patches, etc. each week and it's my job to edit and send this information out to the entire group, using THE SOURCE's Mail System. Because of some problems that were occurring on THE SOURCE, I thought it might be a good idea to have a backup plan in case we were unable to communicate. I knew that MICRONET offered at least two things which could be very useful to the group:

1. 128K of free storage for each account;
2. The ability to make files available to other users without giving away your password.

It was my idea originally to establish a data base on MICRONET of our past material which members could access as they needed. The base, consisting of the group's communications, articles, programs, etc. now occupies more than 600K and is running very well. It was also my idea to establish a means of communication among group members on MICRONET. I realized that people using the data base were accessing text files and I thought it would be possible for people to run original programs from my file area. I was unsure how local disk I/O would work while users were running my software so I began to experiment. This led to C8BS.CMD, a bulletin board, which is, in effect, the first national TRS-80 computer bulletin board system. At this point, I should add that most SOURCE-80 members were already subscribers of MICRONET and those that were not decided to subscribe. Some members live in areas not served by a local MICRONET phone number and have to go through TYMNET to access the system. At the same time that SOURCE-80 was expanding to MICRONET, MICRONET announced a reduction in the cost of the TYMNET surcharge from $4 to $2 per hour. Now it was possible for SOURCE-80 members to share information and communicate on MICRONET as well as on THE SOURCE. Once the members started using MICRONET it quickly became obvious to all that MICRONET would be far more than a backup system. The speed and versatility were a joy to behold. I wrote the bulletin board program using MICRONET's COMPUSERVE EXTENDED BASIC. This is a powerful BASIC and compiles for excellent speed of execution. My bulletin board system runs with the same remarkable speed and reliability as most of the features on MICRONET. This is attested to by the fact that during a typical weekend there are over 200 accesses to the board. I kept it similar in format to a FORUM-80 so that people would feel comfortable using it for the first time. To access the board while on MICRONET all you do is type: IRUN C8BS.CMD[70161,101] (more on those brackets later). You will then be running an image file (compiled BASIC) of my program and using local disk I/O in my personal file area. Didn't I tell you this system was sophisticated? The idea of several people running the program at the same time, and accessing the disk files at the same time, was new to me and led to a week of rocky running. With help from the MICRONET staff (Wizards) and a manual, I soon got the board running smoothly. It now recognizes members when they run it, auto-logs them on, and gives them access to the data base.

ST80 AND MICRONET

I use ST80D and ST80III for all of my file uploading and downloading. This can be a precarious business on THE SOURCE as the speed controls have to be adjusted

constantly. Lost characters are a common occurrence and in the case of program listings, one of the slowest speeds must be selected for the best chance of getting the file into the system error-free. MICRONET had a surprise waiting in this area, also. ST80D and ST80III use control "S" and control "Q" for handshaking which works flawlessly with MICRONET. A speed of 0 (the fastest) can be selected for uploading files to MICRONET and MICRONET will stop and start ST80 as it needs to. It's a real kick to watch and, better than that, it assures you of error-free transmissions to the point where you can leave the room to pour a cup of coffee knowing that everything is uploading to MICRONET just as it existed in your disk file.

My Bulletin Board has been a big success and more of them are springing up. I am customizing the software for various companies and there is already one running for Ham Radio users. Type: IRUN HAMNET.CMD=70000,24> to access the board. H11 and PDP11 users also have one of my boards running which can be accessed by typing IRUN MNET11.CMD <70110,403>. The characters surrounding the account numbers should be square brackets. I have deliberately left them as you see them (less than and greater than signs) because that is the way they are displayed with most terminal software. With ST80, as with most terminal programs, the brackets surrounding the account numbers are entered as control 8 and control 9. The MICRONET EXECUTIVE (a free terminal program offered by MICRONET) is the only terminal program I have ever seen which depicts these brackets graphically as square brackets.

DOCUMENTATION

The documentation which MICRONET sends you is very good. Their free BASIC handbook was enough to get my entire Bulletin Board program translated from Microsoft BASIC into Compuserve BASIC. The big differences were in the disk file I/O which I later found out are identical to DEC10 BASIC. Such features as the setting of protection levels, using the text editor, intricate file manipulation procedures, setting terminal parameters, writing programs on the system, and more are all discussed in detail in the documentation sent to you when you join. Additional manuals can be purchased for FORTRAN, AID, APL, BASIC, BLIS10, FOCAL, MACRO, and SNOBOL, among others. There are many text editors, a word processor, utilities of all kinds, financial programs and, of course, games. Serious programmers will be very pleased with what they can accomplish on this system.

USING THE TEXT EDITOR

A lot of what you do on MICRONET involves a text editor called FILGE. Whether editing one of your own text files, or sending a message to a friend on the MICRONET BULLETIN BOARD SYSTEM (not to be confused with mine), you will find yourself using FILGE. FILGE is the main text editor found on MICRONET. If you never do any editing, you can go through life knowing only one FILGE command ("/EX"). That's the command you type when you have finished entering your text and wish it to be saved. All FILGE commands begin with "/" at the start of a line. You can delete, read, move the line pointer, locate text, global search/replace, etc.. This may all seem a bit awkward for TRS-80 users who are used to using an on-screen character-oriented editor such as

ELECTRIC PENCIL or SCRIPSIT, but after a little practice you will find yourself "filging" everything in sight. Some of the FILGE commands will be discussed in the next two sections dealing with BULLET (the electronic mail system) and creating and transmitting files.

ELECTRONIC MAIL

The electronic mail system on MICRONET (BULLET) is not nearly as sophisticated as the mail system found on THE SOURCE. I am told, however, that a new mail system is soon to be unveiled on MICRONET and by the time this article appears, it may already be a reality. To read or send mail, type R BULLET. This will transfer you to another system and log you off of the original host. There are private messages (user to user) and public messages under the categories of NOTICE, SALE, and WANTED. To see the NOTICE messages, just type VIEW NOTICE. Each heading will be displayed with the choice of "Read Y,X,C/R". Entering "Y" will type the text of the message, and "C/R[ENTER]" will skip over the text and move on to the next heading. Using the "X" option will break you out of the VIEW mode and bring you back to the BULLET Prompt(*). VIEW USER will show you any private mail which is waiting for you. Sending a letter is a bit more complicated. From the "*" type COMPOSE. This will create a working file (FILGE!) and you just start typing. Please be aware that just like THE SOURCE mail system, you are not running ELECTRIC PENCIL! There is a line length limit in effect and the best practice is to hit [ENTER] at the end of each video line. Failure to do this will result in some very strange messages. A typical message which I receive from new users goes something like this:

"Dear Richard,
You must help me with a very serious problem. I'm at my wits end and if I don't get the answer soon I'll throw my computer out the window. How do"

And that's the end of the message—122-140 characters (depending on how you signed on) and the system truncates everything from that point until it finally gets a C/R [ENTER].

Once you have composed your message, start the next line with "/EX". This ends the FILGE section and saves the file. Now the file is waiting to be routed somewhere. If you were sending this letter to me you would type (at the "*") POST USER 70161,101 KEYWORD. Where KEYWORD is the subject. Don't include a space as in "A SURPRISE" because the subject will be taken as "A" (I get a lot of those also). You must have a Keyword or you will get an error message until you type the line correctly. The letter has now been sent to me and the file is still there if you wish to send the same letter to anyone else. Users get a message when they log-on telling them of any personal mail. If you want the message to be public just use the word NOTICE, SALE, or WANTED in place of USER and omit the account number.

There are two ways to get out of BULLET. Typing OFF will sign you off the entire system. Typing EXIT will get you out of BULLET and return you to the regular MICRONET host.

TRANSMITTING FILES

There are several ways to create files in your disk file area. One of the easiest is through our old friend FILGE. When you have your file loaded into the ST80 buffer, type FIL FILENAME.XXX. FILENAME can be up to 6 ASCII characters with the

first being a letter. The XXX is any extension such as TXT for text, BAS for BASIC, XBA for Extended BASIC, XF4 for Extended Fortran and so on. FILGE does not care whether or not your file has line numbers. After FILGE tells you that it has created a new file you may begin entering your text. As I said before, ST80D and ST80II can be used at full speed with no worry. The whole thing will crash however, if you have lines which exceed 140 characters in length. Once the file has finished uploading, do any editing you need to do and type "/EX" at the start of the next line. This ends the FILGE session and saves the file.

If the file you are creating is a BASIC program you may want to load it into BASIC rather than FILGE. To do this, type NEW FILENAME.XBA (or .BAS). The extension tells MICRONET which language the program is written in. In this mode, each line must begin with a line number. Typing SAVE on a new line will save the contents of your file to disk. This is just the same as being in BASIC on a TRS-80 and you may run what you have entered at any point. When you type RUN the program is compiled and any errors will be pointed out to you at this time. If the errors are serious enough, the program will not run until you correct them. Typing COM FILENAME compiles the program and creates a core image file called FILENAME.SAV. This file can be saved through the command SSA FILENAME.SAV and the file can be executed at any time with the command IRUN FILENAME.SAV.

EDITING YOUR FILES

Any ASCII file can be called into your workspace for editing. If the file has line numbers it is best to type: OLD FILENAME.XXX. This command places a copy of the file in your workspace while keeping a backup of the original file in case things go badly during your editing. Individual lines can then be addressed by line number and retyping a line will replace the original. No changes are made to the original file until you type REPLACE. This replaces the original file with any changes you have made while editing. Using this system allows you to RUN the program to check out your changes before making the changes permanent.

Typing FILGE FILENAME (where FILENAME is the file to be edited) also makes a backup but editing is limited in most cases to the line at which the line pointer is currently positioned. The command "/EX" saves the changes to disk. The editing commands are many and varied for each of these systems and all commands are well-documented in the MICRONET Manual.

SHARING FILES

If you wish other users to be able to read your files you must change the protection levels of the file and your directory. Typing PRO FILENAME(2) sets the protection level at (2) which allows other users to read and copy the file. If the file is a program you could set the protection level to (8) which allows other users to execute only. Along with these protections you must have your directory protection set to allow users to access your files. This is done through the command PRO#(nnn). This time those brackets are actually GREATER THAN and LESS THAN signs. A protection level of (744) allows the reading of files while still keeping your directory unreadable. (755) allows reading both files and your directory while (777) will even allow other users to create files in your area. I keep my directory protected

from reading while enabling access to the data base files (if you know the exact name of the file). Group members are given access to a special file which contains a detailed directory of the files available in the database.

MNET-80 IS BORN

Micronet proved to be such a fine system that now in addition to SOURCE-80 we also have MNET-80. In addition to all the SOURCE-80 members, we now have quite a few members who only belong to MICRONET. The bulletin board (CBBS.CMD) has made communication very easy and the database system allows new members to choose anything they wish from past material. Many TRS-80 users have MICRONET accounts but they have not been using them. I hope this article will give you reason to start. While you're there just type IRUN CBBS.CMD[70161,101] and join the first "Real Time TRS-80 Users Group".



NEW! FROM

AVALON HILL

One Player Simulation Games

* **B-1 Bomber**
* **Nukewar**
* **North Atlantic Convoy Raider**
* **Midway Campaign**

For one to four players

* **Planet Miners**

At last! Quality computer simulation games from the leader in war gaming! All games available for 16K Level II TRS-80, 16K Applesoft in ROM or Apple II Plus, and 16K Pet 2001 computers.

$14.95 each!

The Software Exchange

6 SOUTH ST., MILFORD, N.H. 03055 (603) 673-5144

GARON'S GOODIES

by James Garon

PROGRAM PORTABILITY

Writing a nifty utility program in Level II? Want disk users to be able to RUN your efforts? Perhaps you've developed a super renumber routine or maybe a SQUISH-type blank remover. If you make use of the Start of Program address of 17129 (42E9 hex), your program may work like a charm in Level II, but it doesn't stand a chance in Disk BASIC.

Not only do programs running in Disk BASIC NOT start at 17129, they may not even start at the same place from one day to the next! It will depend upon which DOS is in control and upon how many files are open. Wouldn't it be nice if there was some way to find out where a BASIC program was hiding? There is!

Wherever your old utility program refers to the address 17129, such as:

```
100 LET E=17129
```

replace this with:

```
100 LET E=PEEK(16548) +
    256*PEEK(16549)
```

Locations 16548 and 16549 contain an address which always points to the beginning of program text—thus both Disk and Level II users can RUN your program with equal ease.

While we're on the subject of making programs portable between Level II and Disk BASIC, let's discuss the way to initialize those USR calls. In Level II, we poke the starting address into locations 16526 and 16527. Assuming, for instance, that your USR routine begins at location 7000 (hex), you might use the following line in Level II:

```
200 POKE 16526,0:POKE 16527,112
```

as explained on page 8/8 of your Level II manual. (By the way, there is an error in the explanation on that page: you should replace both references to the number 208 with 125.) But Disk BASIC has a special command for setting up a USR call; if we didn't care if our program worked in Level II, we could use:

```
200 DEFUSR=30000
```

or:

```
200 DEFUSR=&H7000
```

If only there was some way for the

program to discover if it is currently running in Level II or in Disk BASIC...Again, we are in luck! Location 16396 is just waiting to reveal this information. Try this:

```
200 IF PEEK(16396)=201 THEN POKE
    16526,0:POKE 16527,112 ELSE
    DEFUSR=30000
```

This works because Disk BASIC places a 195 into 16396 (a machine language Jump instruction) while Level II leaves a 201 there (a Z-80 Return). This location is checked whenever the BREAK key is pressed. Disk BASIC has to do some extra checking since BREAK may awaken the terrifying DEBUG from its fitful slumbers.

Unlock the hidden power of your computer!

PROGRAM FAST & EASY!

Use ROM routines in your BASIC and Assembly Language programs!

All you need to know is in...

PATHWAYS THROUGH THE ROM

REFERENCE GUIDE TO LEVEL II BASIC

$19.95 plus $1 shipping

SUPERMAP from Fuller Software previously sold at $18.95

TRS-80 Disassembled Handbook by Robert Richardson previously sold at $10.00

Hex Mem monitor written in BASIC by John Phillip

Z-80 Disassembler by George Blank

DOS Map by John Hartford

Description of the contents of the Level II BASIC ROM by memory location, by function, and in lesson format. Includes several BASIC and Assembly Language programs in listing format to examine and use ROM routines.

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

How's your love life?

A little dull around the edges? Routine? Predictable? Boring? Maybe all it needs is a little Interlude. Interlude is the most stimulating computer game ever conceived. It combines a computer interview, an innovative programming concept, and a one-of-a-kind manual to turn your love life into exciting, adventurous, delicious fun!

With over 100 Interludes, you can satisfy all levels of interest and desire. Each Interlude is fully described in the manual, and the more elaborate ones are detailed with regard to settings, props, and mood enhancing techniques. But we've saved a few super Interludes for that very special time when your interview indicates you're ready! At that time, you will be introduced to one of several Interludes held secret within the computer. (When you learn secret Interlude #99, your love life may never be the same again!) Interlude can give you experiences you'll never forget. Are you ready for it?

For the TRS-80(Level II, 16K)**

$17.95 for diskette

Interlude™

The Ultimate Experience.

The Software Exchange

6 SOUTH ST., MILFORD, N.H. 03055 (603) 673-5144



SPLAT — AN INTRODUCTION TO TINY COMP

by David Bohlke

Have you ever wanted to create games or routines with the speed of machine language and the ease of programming in BASIC? This is now possible with the use of the Level II BASIC compiler program TINY COMP. SPLAT is presented in this article as a sample program to illustrate some of the commands which can be converted to machine language by TINY COMP.

SPLAT is very simple in concept. An asterisk will appear on the screen, and the player must use the four arrow keys to move the block cursor and intercept the target. The sequence is timed and scored, and there are ten speed levels from which to select.

All the program lines, once compiled, will execute exactly as in BASIC — except they will run with machine language speed. The only exception is the INKEY$ function, as illustrated in line number 22 of the program listing. Q$=INKEY$ will return the ASC value of the key pressed in the variable Q. It does not return a String variable. The second statement in line 22 (IFQ$=""THEN22ELSEQ=ASC(Q$)) is added so that the program will RUN under BASIC with the same result as the compiled code. This second statement is NOT compiled by TINY COMP.

Since the compiled code executes the same as the BASIC code, it is fairly easy, using BASIC, to write and debug the programs before they are compiled. The compiler, source BASIC code, and the object code buffer all reside in a 16K Level II machine at the same time. There is no need to switch tapes back and forth every time you want to adjust the program listing. The BASIC code for SPLAT is a little over 1000 bytes; and the compiled code is 1142 bytes. In a 16K machine there is sufficient memory to

compile a program over 6000 bytes in length.

Although not included in SPLAT, TINY COMP (tape version) can also compile the PEEK and POKE commands (as well as * and /). These can be used to build and access data tables and arrays. Also, the PEEK command can be used for scanning the keyboard for input.

To get the SPLAT program up and running, you must first CLOAD the TINY COMP compiler after answering memory size? with 26000. Next, key in the SPLAT listing. A line listing description is included so you can identify the SPLAT routines. If you would like a comparison of the BASIC speed, you can type RUN to execute SPLAT under Level II BASIC. In addition, when you are writing a program from scratch, you will be able to check and adjust program flow under BASIC execution. Remember, your BASIC source program must use line numbers 1-799, and it MUST contain an END statement.

When you are ready to compile SPLAT, type RUN1000. The compiler will display each line number of the current line being compiled, as well as the current location in the object code buffer, and the decimal equivalents of the compiled object code. TINY COMP can compile only the statements illustrated in the statement set table. Similar statements with the same key words (PRINT, IE, etc) which cannot be compiled will produce an ERROR LINE # message. Lines with other key words, like DEFINT A-Z, will be skipped by the compiler. Compile time is about 1000 bytes every 3-4 minutes.

After your program is compiled, just press ENTER when the prompt appears to execute the machine language code. If your program has a logical end, control will return to BASIC after execution is completed. To run the program additional times, type RUN1300. When the program has an endless loop, as in SPLAT, you will have to press the RESET button to return to BASIC.

The BASIC source program SPLAT, along with TINY COMP, can be CSAVEd for future use. The object code cannot be SAVEd in the same fashion, so it will be necessary to recompile (RUN1000) SPLAT on power-up.

The disk version of TINY COMP functions in a fashion essentially similar to the tape version. Some rearrangement of object code routines was necessary, since source code and compiler will not fit into the 6K left by disk BASIC (in a 16K machine).

Even though the writing of a BASIC compiler began as an experiment for me, I believe it has developed into a useful configuration. SPLAT is presented as a demonstration of the high speed capabilities of the compiled code in games. A more complex source program, 3D TIC TAC TOE, is included with the tape version of the TINY COMP compiler. Whether you believe a BASIC compiler can be useful for gaming, or just experimentation, I hope TINY COMP can be a learning experience for you as it has been for me.

TINY COMP Statement Set

In the following statements — A,B,C, represent legal variable names (A-Z). The code ccc is a positive integer constant, and nnn represents a legal line number (1-799).

DISPLAY:	PRINT@A,B	
	PRINT@A,"STRING"	
	PRINT@A,CHR$(B);	semicolon is optional
INPUT:	A$=INKEY$	
	A=PEEK(B)	
	POKE A,B	
ASSIGNMENT:	A=ccc A=B A=RND(B)	
	A=B+C A=B-C A=B*C A=B/C	
BRANCH:	GOTOnnn	
	GOSUBnnn RETURN	
	IF A=B THEN nnn	< > also supported
OTHERS:	END	
	REM	
	CLS	

SPLAT Line Listing Summary

10-30	Initialization
110-250	Main game loop
110	Print splatter, delay
120-124	Check for hit
130	Loop to continue
200-250	Increment points, reset screen
600-602	Set new target
650-654	White screen
700-737	Adjust cursor
740-746	Delay loop, check for end of game
750-752	Print splatter

Make TSE your supply closet!



High Quality supplies at excellent prices!

Cassettes

C-10 Box of ten each $6.50 plus $1 shipping
C-20 Box of ten each $7.50 plus $1 shipping

Mini Diskettes

Premium Quality:

DYSAN Box of 5	$29.95 plus $1.00 shipping
BASF Box of 5	$24.95 plus $1.50 shipping
Box of 10	$39.95 plus $2.00 shipping
Box of 20	$69.95 plus $2.00 shipping
Case of 100	$299.00 plus $3.00 shipping
Diskette Library Case	$4.95 plus $1 shipping
Floppy Armour™, Box of 5	$4.95 plus $1 shipping
SoftSide Vinyl Binders	$4.95 each plus $1 shipping

The Software Exchange
6 South Street, Box 68, Milford NH 03055 603-673-5144

It's Here At Last . . .

$15.95 & $1.00 P & H (soft cover)

Written by the author of your Level I Users Manual, LEARNING LEVEL II picks right up where the Level I Manual leaves off. It also supplies the changes needed to make the Level I Manual compatible with your Level II TRS-80.

LEARNING LEVEL II covers all Level II BASIC beyond Level I, plus much more. It shows you how to use the Editor, explains what the many error messages are really saying, and leads you thru conversions of Level I programs to Level II.

Dual cassettes, printers, the Expansion Interface with clock and other features are explained in the same easy-to-learn style that made the Level I Manual famous. LEARNING LEVEL II was created specifically for your Level II TRS-80!

The Software Exchange
6 South Street, Box 68, Milford, NH 03055 603-673-5144



A UTILITY PROGRAM THAT GREATLY EXTENDS THE KEYBOARD, VIDEO, AND PRINTER SUBROUTINES IN YOUR LEVEL II ROM!

by Lance Micklus

KVP runs under DOS or Level II BASIC. It is relocatable under your control, and so may be used simultaneously with other machine language programs. At least 16K of memory is required.

Here are some of the things you'll be able to do:

USE AN EXTERNAL KEYBOARD Or, use any other serial input device in place of the TRS-80 keyboard.

ELIMINATE A COMMON SOURCE OF PROGRAM ERRORS by running your keyboard in upper case only, or run in upper/lower case mode just like a typewriter.

PRACTICALLY ELIMINATE KEYBOARD BOUNCE. The amount of debouncing is user-adjustable.

SIMULATE A RADIO SHACK SCREEN PRINTER using an ordinary printer.

USE MOST ANY ASCII SERIAL PRINTER. Such as Teletype 33 or Spinterm.

TELL THE TRS-80 YOU HAVE NO PRINTER AT ALL.

DISPLAY UPPER AND LOWER CASE LETTERS on your video monitor screen. (with hardware modification)

Self-relocating for 16K, 32K or 48K systems

$24.95 on tape $29.95 on disk

TSE **The Software Exchange**

6 South Street, Box 68, Milford, NH 03055 603-673-5144

The new word processor from Radio Shack!

Scripsit



FEATURES:

● Lower case capability ● Total document formatting ● Error correction by deletion, insertion, overwriting and exchanging ● Automatic headers, footers and page numbers ● Global find, replace and delete ● Operator-defined blocks for hyphenation and editing

SCRIPSIT will produce letters or any text material. The documents can be stored on disk for revision and update.

REQUIREMENTS:

● 32K Level II TRS-80; one or more disk drives; line printer

If you've seen or used the Electric Pencil, you'll be delighted with SCRIPSIT's versatility and extra features. Rapid typists will appreciate the fact that SCRIPTSIT does NOT lose letters at the end of each line. Titles can be automatically centered. The Screen width can be changed to match your printer. Tabs can be set, etc...

If you are a BASIC programmer, you'll want to utilize SCRIPSIT's ability to work directly with BASIC programs.

SCRIPSIT comes on disk with thorough documentation and sample text files. Includes three audio cassette tapes which cover all aspects of this exciting Word Processing Package.

The Complete SCRIPSIT Package (with Binder, Manual, 2 Disks, 3 Cassettes, Instruction Summary Card and special press-on key labels) is **only $95.00 + $2.00 shipping.**

TSE The Software Exchange

6 SOUTH ST., MILFORD, NH 03055 (603) 673-5144

"SCRIPSIT" FROM RADIO SHACK



IS IT TIME TO UNPLUG YOUR ELECTRIC PENCIL?

by Richard Taylor and Mark Kirmayer

SCRIPSIT, from Radio Shack, is a character-oriented word-processor written in machine language. It represents a giant step forward in the quality of Radio Shack software. It offers many features not found in the most popular TRS-80 word-processing program (THE ELECTRIC PENCIL), and goes one step beyond with its extended features for print formatting. SCRIPSIT offers almost limitless print formatting options, tremendous versatility in the entering and editing of text, complete and detailed documentation, and is available in cassette and disk versions, both of which include an upper only and an upper/lower case copy of the program. The program loads any ASCII file (which includes PENCIL files) and is compatible with the lower case modification described in the ELECTRIC PENCIL manual. Radio Shack is now offering its own lower case modification for the price of $100,

installed.

Anyone familiar with ELECTRIC PENCIL will be pleased to know that SCRIPSIT does not require slowing down the typist as he or she approaches the end of the video line to avoid lost characters as the text is adjusted. Touch typists can whiz ahead at their own speed with no need to look at the screen for verification.

Formatting and Editing

The print formatting commands are extensive and sophisticated. In addition to the standard controls over PAGE LENGTH, LINE LENGTH, LINE SPACING, PAGE NUMBERING, and RIGHT JUSTIFICATION, SCRIPSIT adds commands such as VERTICAL CENTERING, HORIZONTAL CENTERING, PAUSE BETWEEN PAGES, SPACING BETWEEN PARAGRAPHS, HYPHENATION, ELUSH RIGHT PRINTING, HEADERS, FOOTERS, and WIDOW SUPPRESS. The truly fantastic thing about all these commands is that any printing parameter may be changed anywhere in the document. Lines beginning with a "Greater Than" sign (>) are called FORMAT LINES and are non-printing. These lines are placed within the text at the point you wish to change the formatting. The lines are interpreted while the document is being printed and the format of the printout is changed accordingly. The lines remain as part of the text file and are saved to tape or disk. In addition, BOUNDARY MARKERS allow you to define lines, paragraphs/and pages thereby giving you even more control over the finished product. Individual HEADERS and FOOTERS may be defined for even and odd pages or turned on or off in the FORMAT LINES. People who do not use continuous-feed paper will be pleased to see the PAUSE BETWEEN PAGES option. This PAUSE option, used in conjunction with a FLUSH RIGHT HEADER on even pages and a FLUSH LEFT HEADER on odd pages, combined with a CENTERED FOOTER consisting of the PAGE NUMBER, allow you to print on both sides of the paper and end up with a finished product in book-style format. This may sound confusing but it begins to give you an idea of what this program can do. Additionally, the program can also produce a perfectly centered (both vertically and horizontally) title page.

PENCIL users will find the text-editing commands more difficult to use at first, but they will also find more versatility. Instead of different one letter commands for each function, SCRIPSIT uses "Modes" such as DELETE, INSERT, EXCHANGE, BLOCK, and REPEAT. The "@" key is the CONTROL KEY and is used for all commands. Other keys are used to define WORD, LINE, PARAGRAPH, START, END, and BLOCK. The first command puts you in an editing "Mode" and the second command defines the amount of text you wish to edit. For instance, typing CONTROL D puts you in DELETE MODE (and you are told so at the bottom of the screen). While in DELETE MODE, you may type CONTROL X to delete the sentence or CONTROL Z to delete a word. The same is true for the INSERT MODE and, to some degree, for the other "modes" listed above. The versatility comes with the BLOCK and EXCHANGE MODES. Any amount of text may be marked and named as a BLOCK for future manipulation. The EXCHANGE MODE easily allows you to switch two words, paragraphs, or BLOCKS of text.

GLOBAL SEARCH/REPLACE/DELETE commands allow you to find a specified string in the text.

This can be used to find a section of text and/or to delete it. The command can also be used to replace the specified string with another string of any length. The REPEAT MODE allows you, as does PENCIL, to enter a number sufficiently large to execute the command automatically up to 255 times.

Self Teaching Cassettes

SCRIPSIT comes packaged with three audio cassettes and a set of labels for the keyboard. The audio cassettes take the listener through every feature of the program with agonizing detail and were obviously designed for a person new to the TRS-80. Still they are well-done and, once through, you will be totally familiar with all the various functions. Sample text files are also included on the program cassette or disk for use with the course. The documentation is thorough and even includes a section for programmers to help them access the SCRIPSIT-generated files in their own programs.

Disk I/O is greatly improved over PENCIL and disk space is used more efficiently. LOADING and SAVING time are much shorter than in PENCIL. As mentioned earlier, any ASCII file can be loaded into SCRIPSIT, and this includes BASIC programs. Programs saved in ASCII format can be loaded into SCRIPSIT and edited. The number of continuous characters without a space is of no importance here as it is with PENCIL.

Full cursor control via the arrow keys is provided as well as a fantastic feature which lets you define the WINDOW parameters of the video display. Any line length from 1 to 132 can be represented on the screen. This is accomplished by having the text scroll sideways across the screen! Think of your video as a window passing across the 80 character (e.g.) length line. If you have ever tried to write a chart for an eighty column printer with PENCIL, you will realize the importance of this feature. This feature also allows you to see how your text will appear under different line lengths. If charts or reports are your aim, SCRIPSIT lets you preset TABS which are represented at the bottom of the screen for your reference.

SCRIPSIT also allows you several questions about the document and the screen status which you can ask at any point. You may ask for the amount of remaining memory, the current screen width, the length of the document in characters, what length the PARAGRAPH INDENT is set for, the NAME of the document, and which line the cursor is currently on.

Disk users might like the fact that the cursor position has nothing to do with the amount of text written to disk during a SAVE, as the entire document is written to disk. Every PENCIL user has, at some time, saved his composed text without realizing that the cursor was not at the beginning of the file. By the time he realizes his mistake it is usually too late. The disk version also remembers the name of the document loaded into memory. To save the new version of the document, a simple "S" will update on disk using the same name under which it was loaded. Loading in a new file deletes the present document unless the CHAIN switch is used, in which case the new file is appended to the one currently in memory.

Electric Pencil

By this time you must think that I am recommending a bulk-eraser for your ELECTRIC PENCIL. Not so! SCRIPSIT is a fantastic program but it will never totally replace

ELECTRIC PENCIL. The one big drawback to SCRIPSIT is its lack of a Disk Directory function. There is no way to see what is on the disk and there is no way to KILL a file. I use PENCIL all the time to edit and MERGE files generated by ST80D (a terminal program) for my Users Group on THE SOURCE. I am constantly editing, merging, and then killing files to make room on the disk. None of this is possible with SCRIPSIT. Another advantage PENCIL has over SCRIPSIT is its easy ability to print only as many lines of text as you wish. I use PENCIL to locate and print addresses from a large mailing list. By telling PENCIL "P3", it will then print only three lines, starting with the current cursor position. There is no comparable command in SCRIPSIT. It can be done, but it would involve changing "Markers" for each address you wished to print.

SCRIPSIT for cassette at $79.95 undersells PENCIL by $20.00 and SCRIPSIT for disk at $99.95 undersells PENCIL by $50.00. If you are having the Radio Shack Lowercase Mod installed, be aware that the cassette PENCIL will not work with this mod because of the lack of a control key. Disk users with the Radio Shack Lowercase Mod can use PENCIL only on VTOS 3.0. VTOS 3.0 (and 3.1) use the Shift plus Down-Arrow as a control key, making it possible to use PENCIL with the Radio Shack Lowercase Mod.

Our final note—SCRIPSIT does not work with NEWDOS. APPARAT has the short patch necessary to make SCRIPSIT conform with the NEWDOS method of handling the End-of-File Marker. Rather than giving you the patch here, APPARAT has requested that you write to them so that they can send you the new up-to-date listing of NEWDOS patches. Their address is: APPARAT INC., 6000 E. Evans Ave., Bldg #2, Denver, Colorado 80222. They will send the list of ZAPs to anyone who requests it.

byte off all you can chew!

Z-80 and 8080 Assembly Language Programming

by Kathe Spracklen

Finally! A good tutorial book on assembly language programming by a master of the art! Kathe Spracklen, co-author of Sargon, tells you how with simple straightforward instruction. **$7.95** + $1 shipping

Microsoft Editor/Assembler Plus

Plus what? Well, you get the features of the T-Bug and the original editor/assembler plus macros and conditional assembly, plus extra commands like substitute, move, copy, and extend, plus Z-Bug, a powerful debugging monitor with 8 level breakpoint capability. A bargain at **$29.95**

Super Simon

By George Blank

Complete Z-80 Disassembler with ability to generate symbol tables, dump in Hex, ASCII, or even decimal with poke addresses. Writes machine language tapes. Written in BASIC so it loads easy and is easy to modify. **$9.95**

TSE **The Software Exchange**

6 South Street, Box 68, Milford, NH 03055 603-673-5144

TRS-80 PROGRAM STORAGE AND SOME USEFUL COROLLARIES

by Jeff Meyers

Recent investigations into the TRS-80's method of program storage, aided by the memory map in the user's manual, have led to some short programs which I find useful. These experiments originated in hopes of finding a method of resetting the DATA pointer (a memory location where the location of the current DATA line being READ is stored) to any particular desired line. I have worked with BASICs in which there were statements such as RESTORE 222 which do this job, and occasionally I feel the need for this feature.

By means of a memory monitoring program I've written, I started at decimal 17128 (which is always set to zero) and found the BASIC program beginning in the next byte according to the format shown in Chart 1. The first two bytes were the Least Significant Byte (LSB) and the Most Significant Byte (MSB) of the address of the next BASIC line. When these "pointers" are both zero, this signifies the end of the BASIC program. Following these pointers are the LSB and MSB of the BASIC line number followed by the line of the program in a special code, with the end marked with a zero.

Chart 2 shows a list of the keyword codes as utilized in BASIC program storage. This set of words can be found in ASCII form, extending from byte 5712 to byte 6175. (The first letter of each word is ASCII plus 128.) When these words appear in a BASIC program, they are coded as a single byte.

One more technicality needs to be understood before experimenting with program storage: line numbers following GOTOs, GOSUBs, THENs, and ELSEs (which will hereafter be called referenced lines) are not stored in the LSB-MSB format, but as single digits in ASCII form. For example, in Chart 1, note that the line numbers following the GOSUB and the GOTO require three bytes each, one per digit.

No doubt there are reasons, unknown to novices like myself, for this method of coding GOTOs, etc., but there are BASICs in which the two byte form is used, and that form makes tasks such as renumbering a lot easier!

But back to my original goal — an adjustable RESTORE capability. By purely experimental means, I located the spot at which the computer "remembers" the line currently being read. The address of the byte ahead of that DATA line is stored at 16639 and 16640. With that information, I was able to write the BASIC program (Example 1) below which is called as a subroutine with Q being sent as the line number to which you wish to reset the DATA pointer. The next READ statement will begin at the first piece of data in that line.

This little program adds flexibility in certain programs but it is not the world's fastest subroutine. This prompted me to improve it by writing a machine language version. It is not necessary to understand the inner workings of this, but the appendix contains an assembly language listing of it, with comments. Example 2 stores this routine into the memory locations occupied by string variable Q$. This much faster-running method of resetting the DATA pointer is called simply by USR(XXX) where XXX is the desired line number. The program needs to be run only once.

As is always the case in programming (as in life), the answer to the question above led to a dozen new questions. The general drift of these new ideas was "what else can be done now that I know how programs are stored?" Needless to say, renumbering came to mind.

The program in Example 3 below is painfully slow and undoubtedly unsophisticated but it will renumber a BASIC program based on two assumptions: 1) that there are no commas used in place of THENs, and 2) that all referenced line numbers are exactly four digits long. This second restriction removes the necessity of sliding the program to make room for line numbers in GOTOs, etc., when the new referenced line has more digits than the old one (which would require that the variables at the program's end be moved also). It was written to be used from cassette tape at the beginning of a project which might eventually need renumbering, with that program being written starting at 1000.

While its restrictiveness and slowness are drawbacks, it does (barely) satisfy the challenge I set for myself at the start of its development — to have it fit on the screen!

After accomplishing the crude renumberer, a simple corollary idea presented itself. Example 4 lists on the screen all of the line numbers which are referred to by GOTOs, GOSUBs, THENs and ELSEs. I find this useful when trying to compact a program such as a game typed from **SoftSide** in which the author didn't use colons and which takes a long time to load from cassette.

In this program, the 202, 141, 145, and 149 are the codes for THEN, GOTO, GOSUB, and ELSE respectively. Line 10040 can be altered to also check for commas (substituting for THENs) by adding a W=44 condition but if there are POKE statements or certain types of PRINTs, the printout might contain extraneous numbers.

Finally here is one more spin-off from my program storage experiments. While testing various bytes in the mid-16000's, I found that 16633 and 16634 point to the address of the first variable defined and that 16635 and 16636 point to the last. The variables are defined during the run of a program and occur in

the order created. When "looking up" a value for a variable, the computer scans the whole list. This is why it's important to define much-used variables early if you are trying to speed up execution.

This list of variables is located at the end of the BASIC program and Example 5 uses this list to print a list of all non-array variables used during a program's run (plus variables 01,02, and 03 from Program 5). Jump to this routine from the end of a program.

The examples shown here may serve as starting points for investigations of your own. In my experience, there is a virtually limitless variety of ways to get into trouble when toying with program storage, but there is also a possibility of very useful results. Programs could theoretically be altered in midstream by careful POKEs into the program listing, DATA could be altered, and whole lines rewritten in the middle of a run! Good luck!

CHART 1: PROGRAM STORAGE FORMAT

Decimal Address	Decimal Contents	Comments
17128	0	never changes
17129	243	243+256*66=17139 (pointer)
17130	66	
17131	10	line number 10
17132	0	
17133	145	GOSUB code
17134	32	ASCII for space
17135	57	" " 9
17136	57	" " 9
17137	57	" " 9
17138	0	line end marker
17139	253	253+256*66=17149 (pointer)
17140	66	
17141	20	line number 20
17142	0	
17143	141	GOTO code
17144	32	ASCII for space
17145	49	" " 1
17146	49	" " 1
17147	49	" " 1
17148	0	line end marker
17149	(etc.)	(next pointer, next line number, next line, etc.)

The listing at the left represents the contents of memory assuming that the BASIC program begins

10 GOSUB 999
20 GOTO 111
etc.

CHART 2: PROGRAM STORAGE CODES FOR THE TRS-80 (DECIMAL)

128 END	154 DEFSNG	180 LIST	206 -	232 CVD
129 FOR	155 DEFDBL	181 LLIST	207 *	233 EOF
130 RESET	156 LINE	182 DELETE	208 /	234 LOC
131 SET	157 EDIT	183 AUTO	209 ↑	235 LOF
132 CLS	158 ERROR	184 CLEAR	210 AND	236 MKI$
133 CMD	159 RESUME	185 CLOAD	211 OR	237 MKS$
134 RANDOM	160 OUT	186 CSAVE	212 >	238 MKD$
135 NEXT	161 ON	187 NEW	213 =	239 CINT
136 DATA	162 OPEN	188 TAB(	214 <	240 CSNG
137 INPUT	163 FIELD	189 TO	215 SNG	241 CDBL
138 DIM	164 GET	190 FN	216 INT	242 FIX
139 READ	165 PUT	191 USING	217 ABS	243 LEN
140 LET	166 CLOSE	192 VARPTR	218 FRE	244 STR$
141 GOTO	167 LOAD	193 USR	219 INP	245 VAL
142 RUN	168 MERGE	194 ERL	220 POS	246 ASC
143 IF	169 NAME	195 ERR	221 SQR	247 CHR$
144 RESTORE	170 KILL	196 STRING$	222 RND	248 LEET$
145 GOSUB	171 LSET	197 INSTR	223 LOG	249 RIGHT$
146 RETURN	172 RSET	198 POINT	224 EXT	250 MID$
147 REM	173 SAVE	199 TIME$	225 COS	
148 STOP	174 SYSTEM	200 MEM	226 SIN	
149 ELSE	175 LPRINT	201 INKEY$	227 TAN	
150 TRON	176 DEF	202 THEN	228 ATN	
151 TROFF	177 POKE	203 NOT	229 PEEK	
152 DEFSTR	178 PRINT	204 STEP	230 CVI	
153 DEFINT	179 CONT	205 +	231 CVS	

PROGRAM 1; VARIABLE DATA RESTORE IN BASIC

```
600 DATA1,2,3
700 DATA4,5,6
800 DATA7,8,9
50000 'RESETS DATA POINTER TO LINE 0 WHEN CALLED
50010 B=256:J=16548:M=PEEK(J)+256*PEEK(J+1)
50020 IFPEEK(M+2)+B*PEEK(M+3)<>0 THEN M=PEEK(M)+B*PEEK(M+1):GOTO
 50020
50030 M=M-1:A=INT(M/B):POKE16639,M-B*A:POKE16640,A:RETURN
```

PROGRAM 2:
VARIABLE DATA RESTORE WITH MACHINE LANGUAGE

```
10 'ROUTINE TO LET USR(XX) REESTABLISH DATA POINTER TO LINE XX
20 Q$=STRING$(38,1):Q=VARPTR(Q$):M=PEEK(Q+1)+256*PEEK(Q+2)
30 FORZ=MTOM+37:READX:POKEZ,X:NEXT
40 POKE16526,PEEK(Q+1):POKE16527,PEEK(Q+2)
50 DATA 205,127,10,68,77,33,233,66,94,35,86,35,126,185,32,15,35,
126,184,32,10,43,43,43,43,34,255,64,195,154,10,122,179,235,32,22
8,24,246
```

PROGRAM 3: BASIC RENUMBERING PROGRAM

```
 1000 GOTO1010
 1010 IFU=1THEN1020ELSE1030
 1020 GOTO1000
 1030 IFJ=0THENGOTO1030
 1040 GOSUB1050
 1050 RETURN
 10000 DEFINTA-Z:INPUT"START,INCREMENT";S,I
 10010 DIMA(500):C=1:Q=16548:M=PEEK(Q)+256*PEEK(Q+1):O=M:B=256
 10020 J=PEEK(M)+B*PEEK(M+1):A(C)=PEEK(M+2)+B*PEEK(M+3)
 10030 IFA(C)>9999THENM=O:GOTO10060ELSEQ=S+C*I-I:U=INT(Q/B)
 10040 POKEM+3,U:POKEM+2,Q-B*U:C=C+1:M=J:GOTO10020
 10060 J=PEEK(M)+B*PEEK(M+1):K=M+4
 10080 W=PEEK(K):IFW=202ORW=141ORW=145ORW=149THEN11000
 10090 K=K+1:IFK<JTHEN10080ELSEM=J:GOTO10060
 11000 K=K+1:IFPEEK(K)=32THEN10080
 11005 IFPEEK(K)<48ORPEEK(K)>57THEN10080
 11010 Y=0:FORQ=0TO3:Y=10*Y+PEEK(K+Q)-48:NEXT
 11020 FORX=1TOC-1:IFY=A(X)THEN11030ELSENEXT:END
 11030 N=S+X*I-I:FORQ=3TO0STEP-1:POKEK+Q,48+N-10*INT(N/10):N=INT(
N/10):NEXT:GOTO10090
```

PROGRAM 4:
PRINTOUT OF ALL REFERENCED LINE NUMBERS

```
50000 'LISTS ALL REFERENCED LINE NUMBERS
50010 CLS:Q=16548:S=PEEK(Q)+256*PEEK(Q+1):TB=0:B=256
50020 T=PEEK(S)+B*PEEK(S+1):IFT=0THENENDELSEP=S+4
50040 W=PEEK(P):IFW=202ORW=141ORW=145ORW=149THEN50060
50050 P=P+1:IFP<TTHEN50040ELSES=T:GOTO50020
50060 P=P+1:W=PEEK(P):IFW=32THEN50060
50070 IFW<48ORW>57THENF=0:GOTO50040
50080 IFF=0THENTB=TB+8:IFTB>56THENTB=0:PRINT
50090 F=1:PRINTTAB(TB)CHR$(W);:GOTO50060
```

PROGRAM 5: VARIABLE LIST

```
50000 'LISTS ALL DEFINED VARIABLES;JUMP HERE AT END
50010 01=PEEK(16633)+256*PEEK(16634):02=PEEK(16635)+256*PEEK(166
36)
50020 03=PEEK(01):PRINTCHR$(PEEK(01+2));:IFPEEK(01+1)>0THENPRINT
CHR$(PEEK(01+1));
50030 IF03=3THENPRINT"$";
50040 PRINT" ";:IF01<>02THEN01=01+3+03:GOTO50020
```

APPENDIX:

ASSEMBLY LANGUAGE LISTING FOR VARIABLE RESTORE

Decimal	Hex	Label	Mnemonic	Comment
205	CD		CALL 0A7F	;GET HL — OBJECT LINE NUMBER
127	7F			
10	0A			
68	44		LD B,H	;BC GETS OBJECT LINE NO.
77	4D		LD C,L	
33	21		LD HL,42E9	;HL POINTS TO FIRST BYTE
233	E9			;OF PROGRAM STORAGE
66	42			
94	5E	TOP	LD E,(HL)	;DE GETS POINTER
35	23		INC HL	
86	56		LD D,(HL)	
35	23		INC HL	
126	7E		LD A,(HL)	;A GETS LSB OF LINE NO.
185	B9		CP C	;IF A ≠ C, MOVE ON
32	20		JR NZ,CYCLE	
15	0F			
35	23		INC HL	
126	7E		LD A,(HL)	;A GETS MSB OF LINE NO.
184	B8		CP B	;IF A ≠ B, MOVE ON
32	20		JR NZ,CYCLE	
10	0A			
43	2B		DEC HL	
43	2B		DEC H L	
43	2B		DEC HL	
43	2B		DEC HL	
34	22		LD (40FF),HL	;MAKE IT HAPPEN BY ALTERING
255	FF			;DATA POINTER
64	40			
195	C3	RETURN	JP 0A9A	;RETURN,PASSING HL BACK...
154	9A			;IF VALUE>0, LINE NO. WAS OK
10	0A			
122	7A	CYCLE	LD A,D	;"MOVE ON" — SEE IF DE IS ZERO
179	B3		OR E	;IF SO,LINE WASN'T FOUND &
235	EB		EX DE,HL	;HL=0 ELSE KEEP LOOKING
32	20		JR NZ,TOP	
228	E4			
24	18		JR RETURN	
246	F6			

Z80ZAP/CMD

from ORG-TEX Industries and Ramware.

Powerful disk modification utility in machine language allows you to READ, DISPLAY, MODIFY, WRITE, and COMPARE disk sectors. It will calculate Hash Index Codes for any filespec and tell you where to put it (ever have a HIT read error?). You can recover killed disk files. Search for a byte and have it identified with a flashing cursor. Convenient to use, with cursor controlled by arrows, paging forward and backward, toggle between same sector on different disks and between Z80ZAP and DEBUG. Do disk backups, apply patches and fixes, and explore your disk.

Program on disk for minimum 16K 1 disk system, with instruction manual, $29.95.

The Software Exchange

6 SOUTH ST., MILFORD, N.H. 03055 (603) 673-5144

PINBALL



Bust your BUMPERS!

by John Allen
from Acorn

Flashy lights, lots of sound, machine language speed combine to give the most realistic real time pinball game available for the TRS-80.

You control how fast the ball enters the playing field. You control the flippers. Try for a DOUBLE BONUS or even TRIPLE BONUS. Be alert for the sudden appearance of the "BERMUDA SQUARE". Becoming trapped inside can really help you rack up the points!

Put your quarters in the bank and play pinball at home.

16K Cassette	**$14.95**
32K Diskette	**$20.95**

The Software Exchange

6 SOUTH ST., MILFORD, N.H. 03055 (603) 673-5144

VARLIST

by Charles C. Edwards

Here's another program to llet those elusive verlebles. Instead of looking in the varlable table et the end of your BASIC program, thle utility ecane through the actuel program, thus catchlng ALL varlebles, not just those pleced In the varleble teble by e RUN.

VARLIST will produce e sorted llstlng of ell the verlebles used In e program. It will elso tell you the type of eech varleble (Integer variable, etring arrey, etc).

Verllst can be used with any baslc progrem heving llne numbers less then 60000. Rather than re-entering the program eech time you went to use It, use the following technlque (from the July 1979 TRS-80 Newsletter) to merge It with another progrem:

1) CLOAD the progrem to be enelyzed
2) PRINT PEEK (16548), PEEK (16549) and wrlte down theee velues
3) IF PEEK (16633) Is 2 or greeter then POKE16548,PEEK(16633)-2:POKE16549,PEEK (16634)ELSE POKE16546,PEEK(16633)+254:POKE16549, PEEK(16634)-1
4) CLOAD VARLIST
5) POKE 16548 end 16549 beck to their originel values

Both progrems should now be in memory. To run VARLIST, ENTER "RUN 60000" and then go heve dlnner, mow the lewn, or do some other time-consuming task. I tested VARLIST by runnlng It against Star Trek III.3 and It took epproximatly 25 minutes to finish. It mey be slow, but it beats doing it by hend!

```
60000 DEFINTA-Z:DIMS$(199),A(99),T(25) FORI=0TO25:T(I)=3:NEXT FO
RI=0T099:A(I)=0:NEXT:A=PEEK(16548)+256*PEEK(16549):CLS:PRINT@0,C
HR$(23);I=0
60010 IFPEEK(A+2)+256*PEEK(A+3)=60000THEN64000ELSEPRINT@512,"NOW
 PROCESSING LINE";PEEK(A+2)+256*PEEK(A+3):A=A+4
60020 P=PEEK(A):IFP=147THENGOSUB60050ELSEIFP>151ANDP<156THENGOSU
B61000ELSEIFP=136THENGOSUB61100ELSEIFP=34THENGOSUB61200ELSEIFP=1
90THENGOSUB61300ELSEIFP>47ANDP<58THENGOSUB61400ELSEIFP=0THENA=A+
1:GOTO60010ELSEIFP>64ANDP<91THENGOSUB61500ELSEA=A+1
60030 GOTO60020
60050 A=A+1:P=PEEK(A):IFP=0THENRETURNELSE60050
61000 T=P-151:OL=0:C=0
61002 A=A+1:P=PEEK(A):IFP=60RP=58THENRETURNELSEIFP=44THENC=0ELSE
IFP=206THENC=-1ELSEIFP>64ANDP<91THEN61004ELSE61002
61003 GOTO61002
```

```
61004 P=P-65:T(P)=T:IFCTHENFORJ=OLTOP:T(J)=T:NEXT
61006 C=0:OL=P:GOTO61002
61100 A=A+1:P=PEEK(A):IFP=0ORP=58THENRETURNELSEIFP=34THENGOSUB61
200:IFP=34THEN61100ELSERETURNELSE61100
61200 A=A+1:P=PEEK(A):IFP=0THENRETURNELSEIFP=34THENA=A+1:RETURNE
LSE61200
61300 POKEVARPTR(A(0))+I,64:A=A+1:RETURN
61400 A=A+1:P=PEEK(A):IF(P)47ANDP(58)ORP=68ORP=69THEN61400ELSERE
TURN
61500 P=P-65 POKEVARPTR(A(0))+I,PEEK(VARPTR(A(0))+I)ORT(P):POKEV
ARPTR(S$(I))+1,PEEK(VARPTR(A)):POKEVARPTR(S$(I))+2,PEEK(VARPTR(A
)+1):L=1
61510 A=A+1:P=PEEK(A):IF(P)64ANDP(91)OR(P)47ANDP(58)THENL=L+1:GO
TO61510ELSEIFP=33ORP=35ORP=36ORP=37THEN61520ELSE61530
61520 L=L+1:IFP=36THENT=1ELSEIFP=37THENT=2ELSEIFP=33THENT=3ELSET
=4
61525 POKEVARPTR(A(0))+I,(PEEK(VARPTR(A(0))+I)AND64)+T:A=A+1
61530 P=PEEK(A):IFP=32THENA=A+1:GOTO61530ELSEIFP=40THENIFPEEK(VA
RPTR(A(0))+I)(64THENPOKEVARPTR(A(0))+I,PEEK(VARPTR(A(0))+I)+32
61540 POKEVARPTR(S$(I)),L IFI=0THENI=I+1:RETURNELSEFORJ=0TOI-1:I
FS$(J)=S$(I)ANDPEEK(VARPTR(A(0))+I)=PEEK(VARPTR(A(0))+J)THENPOKE
VARPTR(A(0))+I,0:RETURNELSENEXT:I=I+1:RETURN
64000 GOSUB65000:K=0:CLS:FORI=0TOI-1:IFK=15THENINPUT"HIT =ENTER=
 TO CONTINUE";Z$:K=0:J=J-1:NEXTELSEK=K+1:PRINTS$(J);:X=PEEK(VARP
TR(A(0))+J):V=XAND7:IFV=1THENPRINT" STRING ";ELSEIFV=2THENPRINT"
 INTEGER ";ELSEIFV=3THENPRINT" SINGLE ";ELSEPRINT" DOUBLE ";
64010 IFX)64THENPRINT"FUNCTION"ELSEIFX)32THENPRINT"ARRAY"ELSEPRI
NT"VARIABLE"
64020 NEXT:END
65000 C=0:FORJ=0TOI-2:IFPEEK(15872)=83THENPRINT@512,"
            "ELSEPRINT@512,"SORTING .  "
65010 IFS$(J))S$(J+1)THENGOSUB65100ELSEIFS$(J)=S$(J+1)THENIFPEEK
(VARPTR(A(0))+J))PEEK(VARPTR(A(0))+J+1)THENGOSUB65100
65020 NEXTJ:IFCTHEN65000ELSERETURN
65100 FORK=0TO2:Q=PEEK(VARPTR(S$(J))+K):POKEVARPTR(S$(J))+K,PEEK
(VARPTR(S$(J+1))+K) POKEVARPTR(S$(J+1))+K,Q:NEXT:Q=PEEK(VARPTR(A
(0))+J):POKEVARPTR(A(0))+J,PEEK(VARPTR(A(0))+J+1):POKEVARPTR(A(0
))+J+1,Q:C=-1:RETURN
```

THE WATCH THAT REPLACES EVERYTHING.

In fact it even replaces the age-old myth that a timepiece loaded with talent has to be expensive.

The Casio C-80 has a list price of $50. It has been advertised nationally for $75. HARDSIDE's special price is only $44.95 (we even pay the UPS charges).

A CALCULATOR MADE FOR REAL FINGERS

Here's the first calculator chronograph that can be operated easily with your finger-tips. No need to use a stylus or pen; the keys are far enough apart that even the broadcast fingers can work them.

Now you can add, subtract, multiply, divide - even perform chain calculations up to eight places, plus decimal. Numbers appear in crisp liquid crystal digits.

STOPWATCH, 2 TIME ZONES-AND MORE

The push of a button turns your calculator into a very talented stopwatch. You get 1/100 of a second accuracy, lap times, and up to 59.59 minutes of track-style timekeeping.

You also get two time zones; the second zone can be set for 12 or 24 hour time. Hours, minutes and seconds are displayed with reliable 15 second-a-month quartz precision.

Press another button and the day of the week and date appear. And another for built-in night light.

FEATHER-LIGHT, YET RUGGED

The 1-3/4 oz. case and band are constructed of high impact black plastic. And so lightweight and comfortable, you may not realize that you are wearing it.

This Casio chronograph is built incredibly rugged to provide years of reliable service. A tough mineral glass crystal resists scratching. And the tightly fitted case and crystal provide water resistance for everyday use.

#99-01..... $44.95



ELECTRONICS ASSISTANT

John Adamson

Electronics Assistant is a set of nine circuit design programs in one. Written by a professional for the serious electronics buff, Electronics Assistant will draw schematics and help you design active and passive low-, band-, and high-pass filters, coils, attenuator networks, and three types of impedance-matching networks. Features extensive graphics and a one key selection routine. Circuit designers and students will wonder how they lived without their Electronics Assistant!

For 16K Level II
Price, $9.95

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

BUG REPORT

In your June 1980 issue, refer to the article, "Using Your Electric Pencil With the Radio Shack Lower Case Modification," on page 83, change the second and third modification addresses from: FO1BC FO1D9 to: FO1OBC FO1OD9

ADVENTURE

Get the granddaddy of the Adventure Games!

From MicroSoft, the people who wrote BASIC for all the personal computers, comes a version of the original Adventure. NOW, you no longer need a PDP-10 for all the power of the original game!

This game fills an entire diskette. Endless variety and challenge as you seek to rise to the level of Grand Master (until you gain skill, there are whole areas of the cave that you cannot enter.)

Requires 32K One Disk ONLY $29.95!

TSE **The Software Exchange**

6 South Street, Box 68, Milford, NH 03055 603-673-5144

WORD PROCESSING PACKAGE

The HARDSIDE WORD PROCESSING PACKAGE includes everything necessary to have a complete Word Processing System in your Home or Office

- **TRS-80, 16K RAM, Level II**
- **Upper/Lower case modificatinn**
- **Video Reverse modification**
- **Expansion Interface, 32K RAM**
- **Percom Data Separator**
- **Percom TFD-100 Disk Drive**
- **Dual Drive Cable**
- **NEC SpinWriter 5530**
- **Scripsit Word Processor Software**

This package saves you $750 off of regular list prices. The Video Reverse allows the TRS-80 to print black letters on a white background, much easier on the eyes. The Scripsit software includes a complete training course on audio tape. The complete package is only $4419.

 # PKG10 (61 lbs + printer freigbt) $4419.00

Options:

Removeable Tractor Feed Option	*$195.00*
Additional Percom Disk Drive	*$389.00*
System Desk	*$179.00*
Printer Stand	*$ 89.00*
System Dust Cover	*$ 7.95*

(603) 673-5144
6 South St., Milford, NH, 03055

TRS-80 FORTRAN SUBROUTINES

by David E. White

I recently purchased the Microsoft Fortran package for the TRS-80 computer and have started to write a few programs in that language. The major advantages of Fortran compared to TRS-80 BASIC are 1) the greater speed of execution because it is a compiled language and 2) the ability to create truly independent subroutines and functions which can be kept in a library file and used as required in other programs. Some of the disadvantages are 1) the cumbersome three-step process for creating and running a program (i.e. editing, compiling, linking and loading), and 2) the lack of some of the useful capabilities of BASIC.

However, some of Fortran's disadvantages can be reduced. For instance, I find the Microsoft Editor to be rather a nuisance because it is a somewhat primitive line oriented editor and because it spends so much time in transferring text to and from disk during editing sessions. While this editor has the advantage of being able to edit files larger than can be stored in memory, very few Fortran files will ever be that large, especially if proper use is made of program subroutines. I have found that the Electric Pencil serves very well as a Fortran editor with much greater editing capabilities. The Fortran Compiler functions quite well without the line numbers as generated by the Microsoft Editor and even inserts its own sequential line numbers in the listing files (/LST). The only complication is the file extension which is '/PCL', as produced by the Electric Pencil, and needs to be '/FOR' for the Fortran compiler. The simple solution is to use the DOS 'RENAME' command to change the extension. A slightly more elegant approach is to go inside the Electric Pencil command file and change the string '/PCL', wherever it appears, to '/FOR'.

Also missing in Fortran are some of the very useful BASIC commands. For example: the random function, the clear screen command, the PRINT @ command, the graphic commands, etc.. Fortunately, most of these can be simulated using called Fortran subroutines and functions. A variety of functions are possible particularily by using the extended Fortran commands PEEK and POKE. Also because the Fortran programs are compiled, their speed is often greater than the equivalent BASIC version. I have found the following routines useful for my Fortran programming and hope that you might find them of value as well:

NAME	FUNCTION
1. CLEAR	Homes cursor and clears screen.
2. CURSOR	Moves cursor to specified screen position.
3. POINT	Sets, resets, checks graphic pips.
4. RND	Random number function.
5. PADDLE	Simulates a paddle using the arrow keys.

The first program is a simple example of using control codes and the A-type output conversion option to control an output device. In this case, two 'BYTE'-type variables are assigned control values and are then output to device 5 (the video screen) using the 'A' format option which transmits their literal value to the screen driver routines. The first byte (28) positions the cursor at location (0), and the second byte (31) clears the screen to the end of the frame. It is necessary that these bytes be output separately, using '2A1' rather than 'A2', to effect the proper control. Similiar procedures can be used to move the cursor, change to 32 character display mode and to exercise printer control.

```
C  ***  CLEARS SCREEN AND HOMES CURSOR  ***
       SUBROUTINE CLEAR
       BYTE BYTE1,BYTE2
       DATA BYTE1,BYTE2/28,31/
       WRITE(5,100) BYTE1,BYTE2
  100  FORMAT(1X,2A1)
       RETURN
       END
```

This next program is similar to the 'PRINT@' command in BASIC. However, instead of having to calculate the exact location number, one simply specifies the line number (from 1 to 16) and the print position (1 to 64). The subroutine then moves the cursor to that locaion for a subsequent read or write operation.

```
C  ***  CURSOR SETTING PROGRAM  ***
       SUBROUTINE CURSOR(LINE,POS)
       INTEGER LINE,POS,LOC
       BYTE LBYT,HBYT
C      ERROR CHECKING
       IF (LINE.LT.1) LINE=1
       IF (LINE.GT.16) LINE=16
       IF (POS.LT.1) POS=1
       IF (POS.GT.64) POS=64
C      DETERMINE NEW LOCATION AND BYTE VALUES
       LOC=15360+(POS-1)+64*(LINE-1)
       HBYT=LOC/256
       LBYT=LOC-256*HBYT
       CALL POKE(16416,LBYT)
       CALL POKE(16417,HBYT)
       RETURN
       END
```

This routine is equivalent to the 'SET', 'RESET' and 'POINT' commands in BASIC. The routine requires three arguments: the x and y locations as in BASIC (x:0-127, y:0-47), and a control code which selects the function performed. The control codes are as follows: -1, resets point; 1, sets point; 0, returns a value based on whether the point is currently set or not. Logical operations are used to check and change the bit which controls the graphic pips.

```
C  ***  GRAPHIC 'POINT' SUBROUTINE  ***
      SUBROUTINE POINT(X,Y,ICODE)
      INTEGER X,Y,ICODE,XBLK,YBLK,LOC,IJUMP,IBIT
      LOGICAL BYTE,BIT,PIP(6)
      DATA PIP/1,2,4,8,16,32/
C     VALUES: X 0-127;   Y 0-47;   ICODE -1,0,1
      IF (X.LT.0) X=127
      IF (X.GT.127) X=0
      IF (Y.LT.0) Y=47
      IF (Y.GT.47) Y=0
      IF ((ICODE.LT.-1).OR.(ICODE.GT.1)) ICODE=0
C     DETERMINING GRAPHIC BIT LOCATION AND VALUE
      XBLK=X/2
      YBLK=Y/3
      LOC=15360+64*YBLK+XBLK
      BYTE=PEEK(LOC)
      IF (BYTE.LT.1:8) BYTE=-128
      IBIT=X-2*XBLK+2*(Y-3*YBLK)+1
      BIT=PIP(IBIT)
C     MANIPULATING THE CODES
      IJUMP=ICODE+2
      GO TO (200,300,400), IJUMP
C     RESETTING PIP
  200 IF (BYTE.AND.BIT) BYTE=BYTE.XOR.BIT
      GO TO 500
C     CHECKING PIP
  300 ICODE=-1
      IF (BYTE.AND.BIT) ICODE=1
      GO TO 600
C     SETTING PIP
  400 BYTE=BYTE.OR.BIT
C     CHANGING MEMORY VALUE
      500 CALL POKM(LOC,BYTE)
      600 RETURN
      END
```

This subroutine generates pseudo-random numbers using a congruential method. The function generates real numbers uniformly in the range from 0 to X. Integer numbers in the range 1 through X can be generated by using INT(RND(X))+1. The procedure is based on a seed number whose value is protected by being defined as a member of a common block. The random numbers will follow different sequences depending on what happens to be in the seed memory location when the program is loaded. Conversely, one could initially specify the seed value through another program, which would then give a reproducible sequence of random numbers.

```
C  ***  RANDOM FUNCTION AS PER BASIC  ***
      FUNCTION RND(X)
      REAL A,BM,SEED
      DOUBLE PRECISION C,DM
      COMMON /XXXX/SEED
      DATA A,C,BM,DM/ 24298., 99991., 199017., 199017./
      SEED=DMOD(A*SEED+K,DM)
      RND=(SEED/BM)*X
      RETURN
      END
```

This routine converts the arrow keys into the equivalent of a paddle or joystick control. Depending on which arrow key or combination of arrow keys are currently pressed, the program returns the x and y direction indicated. This is accomplished by PEEKing at the appropriate keyboard memory location and checking the bits that are associated with each pressed key. This enables each key to be checked independently. For example, if both the left and the up arrow are pressed, then the program would return -1 for the x-direction and +1 for the y-direction. If no key, or contradictory keys are pressed, a zero value is returned. Similiar procedures could be used to read any key(s) on the keyboard.

```
C  ***  PADDLE  ***
       SUBROUTINE PADDLE(IDX,IDY)
C     READS THE ARROW KEYS FROM THE KEYBOARD
      LOGICAL KB,LUP,LDN,LLF,LRT
      DATA LUP,LDN,LLF,LRT/8,16,32,64/
      IDX=0
      IDY=0
C     PEEK AT KEYBOARD VALUES
      KB=PEEK(14440)
      IF (KB.AND.LUP) IDY=1
IF (KB.AND.LDN) IDY=IDY-1
      IF (KB.AND.LLF) IDX=-1
      IF (KB.AND.LRT) IDX=IDX+1
      RETURN
      END
```

FASTGAMMON

Backgammon is a two-person game.
In FASTGAMMON the computer is one player
(its men are O's) and you are the other (your men are X's).

Whether you are a beginner or an experienced backgammon player, FASTGAMMON can help you improve your game. First of all, you now have an opponent that is always ready and willing to play. There is no substitute for experience — the more games you play the more you learn about backgammon. But there is another unique method by which FASTGAMMON can help you improve your game.

By selecting "2" when the starting message is displayed, the same sequence of rolls that occurred in the game just played (the last game for which you selected "1") will occur again.

HOW GOOD IS FASTGAMMON?

We make no claims that FASTGAMMON plays at an expert level. In fact, good players will notice obvious mistakes that the computer makes from time to time. The game of backgammon has many subtleties, and the algorithm programmed into version 1 of FASTGAMMON is a fairly simple one. There is an advantage that the computer has, however, over human players — the computer never forgets what it "knows". Due to oversights, distractions, or haste, human players often forget what they know. This fact is the edge that makes FASTGAMMON competitive against good players. Level II 16K $19.95

QS *Quality Software*



TSE
The Software Exchange
6 South Street, Box 68, Milford, NH 03055 603-673-5144



PYRAMID OF DOOM

by Scott Adams
TRS-80 16K

On a trek through the vast uncharted center of the Sahara Desert in search of a missing explorer, you come upon a pyramid recently exposed by the shifting sands. Will you be able to collect its treasures and escape? Or will you join its denizens for that long eternal sleep?

Machine Language Cassette $14.95

Want to know what adventure is before you part with that much money? Try the Adventure Sampler! Adventure 0 is a mini version of Adventure 1, offering hours (instead of weeks) of challenge for only $5.95.

Warning: This program may be addictive, leading to prolonged and habitual adventuring.

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144



Duplicates Any TRS-80* Program Tape

"Data Dubber"

Yes, even those in machine language! Feed your cassette into the "Data Dubber" and get out exact replicas of the TRS-80 CSAVE data pulses. Obtain perfect CLOAD'S even from tapes with hum, distortion, or minor dropouts . . . and without constantly adjusting the volume. Connect a second cassette to the "Data Dubber" and make perfect reproductions just as if the data had come from the TRS-80.

The "Dubber" works with Level I or II and costs only $49.95 (plus $2.00 postage & handling). Pays for itself in time saved and reduced tape cost. Order the "Data Dubber" today! If you are not completely satisfied with its performance simply return it for full refund.

HARDSIDE

6 SOUTH STREET, MILFORD, NH 03055 (603) 673-5144

* TRS-80 is a registered trademark of Radio Shack and Tandy Corporation.

FOR TSE Order Form SOFTWARE ONLY

Accts Rec II Disk 32K 69.95
Adv Pers Fin Disk 24.95
Adventura Sampla = 0 5.95
2 Adventuras on Disk 24.95
☐ Land & Pirate
☐ Mission & Voodoo
☐ Count & Odyssey
☐ Fun House & Pyramid
3 Adventures Disk 39.95
☐ Land Pirate Mission
☐ Count Voodoo Odyssey
Adventures on tape 14.95
☐ Count
☐ Fun House
☐ Land
☐ Mission Impossible
☐ Pirate's Cova
☐ Pyramid of Deom
☐ Stranga Odyssey
☐ Voodoo
Adventure (Microsoft) 29.95
Airmail Pilot 7.95
Air Raid 9.95
Alien Invasion (sound) cass. 9.95
Alien Invasion (sound) disk 14.95
Amateur Astronomy Handbook 14.95
Amateur Radio Disk 24.95
Amazin' Mazes 9.95
Android Nim (sound) 14.95
APL disk 34.95
APL w/book 49.95 + $3
APL tape 14.95
APL book only 15.50 + $3
Appointment Log 9.95
Automated Disk Directory 14.95
Barricade 9.95
Basic Handbook 14.95 + $1
Basic Statistics 9.95
Basic Styles Handbook 5.95 + $1
Bea Wary (sound) 14.95
Binders 4.95 + $1
Biorhythms 4.95
Bismarck 49.95
Bridga Challenger 14.95
Cards of Fortune 7.95
Cassettes
☐ C-10 10 for 6.95 + $1
☐ C-20 10 for 7.95 + $1
Casino Anthology 7.95
Challenge (sound) 9.95
Chess Companion 7.95
COMPROC Command Processor tape for disk only $19.95
Cribbage 7.95
Data Management System (CCA) 74.95 + $2
Daleslones of Ryn
Tapa 14.95
Disk 19.95
Diskettes
BASF ☐ 5 for 24.95 + $1
☐ 10 for 39.95 + $1
☐ 20 for 69.95 + $2
☐ 100 for 299.00 + $3
Dysan box of 5 29.95 + $1
Dynamic Data Base 39.95

Diskette Storage Box 5.00 + $1
Dosort 32K or 48 tape 34.95
DSM Sort Utility for disk 75.00
Editor/Assembler Plus 16K tape 29.95
Electric Pencil tape 100.00
Electric Pencil disk 150.00
Educator Assistant 9.95
8080-Z80 Conversion 14.95
Electronics Assistant 9.95
End Zone II 9.95
Fastgammon 19.95
File Manager 80 49.95
Floppy Armour box of 5 4.95 + $1
Floppy Disk Diagnostic 24.95
Fortran/Assembler 150.00 + $5
Fortran 80.00 + $2.50
Assembler 80.00 + $2.50
Galactic Empire 14.95
Galactic Empire/Trader disk 29.95
Galactic Revolution 14.95
Galactic Trader 14.95
Galactic Trilogy disk 39.95
GSF 16K,32K,48K 24.95
Ham Radio 9.95
Histograph/Scattargram 9.95
Home Financial Management 9.95
I Ching Level II 16K 7.95
Infinite BASIC by Racal 49.95
Business add-on 29.95
Intro TRS-80 Graphics 7.95 + $1
Invasion of Orion
Tape 19.95
Disk 24.95
Inventory II.3 Disk 79.95
Invantory S tape 24.95
Inventory S disk w/invoicing 59.95
w/e/invoicing 39.95
Investment Portfolio 49.95
IRV
Tape 24.95
Disk 29.95
Journey Centar Earth 7.95
Kamikaze 7.95
Keyboard 9.95
Kriegspeil 7.95
KVP 14.95
KVP on Disk 19.95
KVP 232 24.95
Learning Level II 15.95 + $1
Level I in Level II 14.95
Level III BASIC 49.95
Life Two (sound) 14.95
Loan Amortization 19.95
Lost Dutchman's Gold 9.95
Lower System 9.95
Machine Lang. Mon. (RSV.2) 26.95
Machine Lang. Mon. (RSV.2D) 29.95
Magic Paper Calculator 14.95
Mail List II Disk 99.95
Mallock's Tower
Tape 14.95
Disk 19.95
Mastermind 7.95
Mean Checkers Machine tape $19.95
Mean Checkers Machine disk 24.95

Microchess 1.5 19.95
Microtext Editor 9.95
Moving Signboard 9.95
Mu-Math 74.95 + $3
NEWDOS 49.95
NEWDOS + 99.95
NEWDOS 80 149.00
9 Games/Preschool Child 9.95
Numerology 32K disk 14.95
On-Line Invoicing disk 39.95
Pathways Through the ROM 19.95 + $1.
Payroll Disk 32K 39.95
Pencil Pal 35.00
Pentominoes (sound) 7.95
Periodical Cross Reference tape 14.95
Periodical Cross Reference disk 19.95
Personal Finance 9.95
Pigskin 9.95
Pork Barrel 9.95
PR Doglight 7.95
Preflight 20.00
Print Spooler disk 24.95
Ramodel & Proload 16K,32K,48K 34.95
Renumber 7.95
Renumx 24.95
Rescue at Rigal
Tapa 19.95
Disk 24.95
Roots disk 19.95
RPN Calculator 9.95
RSM-2 26.95
RSM-2D 29.95
RX (disk) 24.95
Santa Paravia & Fulmaccio 7.95
Saigon Chess 19.95
Sargon II 29.95
Saigon Handbook 15.95 + $1
Scripsil
Tape/Disk 95.00 + $2
Secrets of the Tarot 9.95
Small Business Bookkeeping tape 24.95
Small Business Bookkeeping disk 29.95
Small Business Bookkeeping journal 7.00
Snake Eggs (sound) 14.95
Space Battles tape 14.95
Space Battles disk 19.95
STAD 24.95
Star Fleet Orion
Tapa 19.95
Disk 24.95
Star Trek III.4 14.95
ST80 Smart Terminal 49.95
ST80D Smartar Disk 79.95
ST80 III 150.00
ST80UC 24.95
Super Simon $9.95
System Copy 9.95
T Short 9.95
Taipan 9.95
Tape Recorder Alignment Kit 9.95

Temple of Apshai	
Tape	24.95
Disk	29.95
Text 80 Disk	59.95
Time Series Analysis	14.95
Time Trek	14.95
Ting Tong Level II 16K	9.95
Tiny Comp	tape 19.95
Tiny Comp	disk 24.95
Trotl's Gold	4.95
TRS-80 Assy. Lan. Pro.	3.95 + $1
TRS-80 Disk & Other	Myaterles 22.95 + $1
TRS-80 Inlsrfscing	8.95 + $1

TRS-80 Opera Theatre (sound) with challenge on disk	9.95 18.95
Tycoon	7.95
Typing Tutor	19.95
Warfare	7.95
Wordo	14.95
X-Wing Fighter II	9.95
XREF	19.95
Y-Y Bar by Racet	14.95
Z-80 Chip Posler	3.99 + $1
Z-80 Gourmet Cookbook	14.95 + $1
Z-80 Handbook	4.95 + $1
Z-80 and 8080 Assembly	7.95 + $1

IMPORTANT ANNOUNCEMENT

Beginning with the next issue, PROG/80 will be combined with **SoftSide** in a full-size format. So, in addition to the advanced programming tips and techniques you've come to expect, you'll also be getting:

Feature programs for the TRS-80, APPLE and ATARI.
Special departments on...

***Graphics**
***Music & Sound Effects**
***Programming Hints**
***Take-A-Parts**
***And Much More!**

Plus, it's monthly!